




**BOVEARN**  
Bovearn Building Material Co.,Ltd

Focus on High Quality Architectural Decorative Elements  
[www.bovearn.net](http://www.bovearn.net)



## PU(Polyurethane) Faux Stone Panel

Professional / Manufacturer / Durable

[www.bovearn.net](http://www.bovearn.net)  
Bovearn Building Material Co.,Ltd

**LOVE**  
**LIFE**

# 1-Mushroom stone

Decorative&Heat Insulating | Easy to Install | Durable



GS-96011 1200x600x100mm




GS-96013 1000x450x50mm



GS-96012 1200x450x100mm



GS-96014 900x450x100mm



GS-96015 600x600x100mm



GS-96021 1200x600x40mm



GS-96022 1200x600x40mm



GS-96023 1200x600x40mm



Decorative&Heat Insulating | Easy to Install | Durable

# 2-Stone Peel Panel



GS-96024 1200x600x40mm




GS-96025 1200x450x40mm



### 3-Cement Panel

Decorative&Heat Insulating | Easy to Install | Durable



GS-96031 1200x400x25mm



GS-96032 1200x400x25mm



Decorative&Heat Insulating | Easy to Install | Durable

### 4-Castle Stone



GS-96041 1200x300x35mm




GS-96042 1200x300x35mm



GS-96043 1200x300x35mm




GS-96044 1200x300x35mm



# 5-Coral Stone

Decorative&Heat Insulating | Easy to Install | Durable



GS-96051 1200x355x35mm



GS-96052 1200x355x35mm



GS-96053 1200x355x35mm



GS-96054 1200x355x35mm



GS-96055 1200x355x35mm



Decorative&Heat Insulating | Easy to Install | Durable

# 6-Brick Stone



GS-96061 1135X310X30mm



GS-96062 1135X310X30mm



GS-96063 1135X310X30mm




GS-96064 1135X310X30mm



GS-96065 1135X310X30mm





GS-96066 1135X310X30mm



GS-96067 1135X310X30mm




GS-96068 1135X310X30mm



# 7-Slate Stone

Decorative&Heat Insulating | Easy to Install | Durable



GS-96071 1170X305X35mm



GS-96072 1170X305X35mm



GS-96073 1170X305X35mm



GS-96074 1170X305X35mm



GS-96075 1170X305X35mm



GS-96076 1170X305X35mm



GS-96081 1210X300X35mm



GS-96082 1210X300X35mm



GS-96083 1210X300X35mm



GS-96084 1210X300X35mm




GS-96085 1210X300X35mm



GS-96086 1210X300X35mm

Decorative&Heat Insulating | Easy to Install | Durable

# 8-Rusty Stone



## 9-Granite Stone

Decorative&Heat Insulating | Easy to Install | Durable



GS-96091 1160X310X35mm



GS-96092 1160X310X35mm



GS-96093 1160X310X35mm




GS-96094 1160X310X35mm



GS-96095 1160X310X35mm



GS-96096 1160X310X35mm



GS-96101 1175X300X35mm



GS-96102 1175X300X35mm



GS-96103 1175X300X35mm



## Decorative&Heat Insulating | Easy to Install | Durable 10-Wood Stack



# 11-Mountain Rock

Decorative&Heat Insulating | Easy to Install | Durable



GS-96111 1160X300X35mm



GS-96112 1160X300X35mm




GS-96113 1160X300X35mm




# 12-Wave Stone


Decorative&Heat Insulating | Easy to Install | Durable




GS-96121 1180X300X35mm



GS-96122 1180X300X35mm



GS-96123 1180X300X35mm



## 13-Fort Stone


Decorative&Heat Insulating | Easy to Install | Durable



GS-96131 1200X300X35mm



GS-96132 1200X300X35mm



## Decorative&Heat Insulating | Easy to Install | Durable 14-Strip Stone



GS-96141 1160X310X30mm



GS-96142 1160X310X30mm





15-Faux Wood Panel Decorative&Heat Insulating | Easy to Install | Durable



GS-96151 1175X300X35mm



GS-96152 1175X300X35mm



GS-96153 1175X300X35mm



Decorative&Heat Insulating | Easy to Install | Durable 16-Annual Ring Stone




GS-96161 1180X300X30mm



GS-96162 1180X300X30mm



GS-96163 1180X300X30mm



## 17-Ancient Wood

Decorative&Heat Insulating | Easy to Install | Durable



GS-96171 1010X200X20mm



GS-96172 1010X200X20mm



## Decorative&Heat Insulating | Easy to Install | Durable 18-Wave Panel




GS-96181 1220X410mm



19-Magic Cube Panel Decorative&Heat Insulating | Easy to Install | Durable



GS-96191 1180x300x35mm



GS-96193 1180x300x35mm



GS-96192 1180x300x35mm



GS-96194 1180x300x35mm



Decorative&Heat Insulating | Easy to Install | Durable

20-Roll Tile Panel



GS-96201 1200x180 mm



## 21-Metal Panel

Decorative&Heat Insulating | Easy to Install | Durable



GS-96211 600x600mm




GS-96212 600x600mm




Decorative&Heat Insulating | Easy to Install | Durable

## Accessories Series



Caulk Free Top Line / Ledger Corner / Window Trim  
Size:1220x55x95mm



Inside and outside ledger corners: Continue the  
candstone ledgers around inside and outside corners



Corners:210x90x305mm



Touch up paint kits come with the various colors of  
each rock pattern as well as the matching trim. Use for  
painting and seams or for general touch up



Starter Strip 4"/PC allows the first row of panels to fit nicely in its angled groove and to  
hold the first course tightly, making for face screwing an unnecessary step



Post covers





1. Level and color up the wall horizontally



2. Put the starter strip on the bottom of the wall



3. Install the first panel from the left bottom



4. Lay the panels down to up, left to right, fix the panels with screws on the joints



5. Check if the panels are horizontal with a level during installation



6. Keep on installing the panels, corners and top lines



7. Cut the panel with a saw if necessary



8. Drill the screw through the center of the joints to the wall.



9. Upper panel interlocks with lower panel. screws are invisible.



## Product introduction

Bovearn faux stone panel made of composite polyurethane material, is a new type of eco-friendly decorative wall panel. The main features of faux stone are heat-insulated, lightweight, waterproof, fire resistant, mothproof, anti-mold, anti-crack, durable, easy to clean. It can be nailed, sawed, peeled, and it's washable, paintable, crackless, distortionless. Easy and convenient on installation, suitable for both indoor and outdoor wall decoration.

## Product Performances and Functions:

### ---Easy to install

The product is designed as insert structure, with tongue side, groove and reserved seam, you just need to make the corresponding collage, and then fixed with screws, without any glue. easy and clean, solid and durable. PU faux stone panel can be used for home or business areas: windowsill, porch pillars, wall protections, fireplace decoration, TV wall, the entrance or part of the wall decorations.

### ---Lightweight & Authentic Stone Look

PU faux stone panel is made of light-weight polyurethane material. casting from real stone mold, the unique manufacturing process gives PU faux stone the same appearance as the real stone. It is the wall decoration material with highest simulation to stones on the market.

### ---Cost-effectiveness

Traditional culture stone installation method: wall cleaning, tiling, filling, time for drying takes 5 to 7 days. It's much easier to install PU faux stone panel on home or commercial area decoration, normally takes 1~2 days with the simple installation tool, DIY available, which saves time, labor cost and material cost, and reduce much of the confusion caused by decoration. For the large-scale projects, the advantages of PU faux stone panel on low-cost and high-efficiency are more obvious.